


3.

Dialplan → Extensions→ ADD

 Home Accounts Dialplan Applications Status Advanced 192.168.31.222

Extensions (5)

IMPORTEXPORT+ ADDTOGGLEDELETESHOW ALLSearch...SEARCH

Use this to configure your SIP extensions.

<input type="checkbox"/>	Extension	Effective CID Name	Outbound CID Name	Call Group	Context	Enabled	Description
<input type="checkbox"/>	2001				192.168.31.222	True	
<input type="checkbox"/>	2002				192.168.31.222	True	
<input type="checkbox"/>	2003				192.168.31.222	True	
<input type="checkbox"/>	2004				192.168.31.222	True	
<input type="checkbox"/>	2005				192.168.31.222	True	

© Copyright 2008 - 2021 fusionpbx.com All rights reserved.

Extension                      Password

Extension

Extension	<input type="text" value="2010"/>	Enter the alphanumeric extension. The default configuration allows 2 - 15 digit extensions.
Number Alias	<input type="text"/>	If the extension is numeric then number alias is optional.
Password	<input type="password" value="....."/>	Enter the password here.
Users	<div><div>▼</div><div>+ ADD</div></div>	Assign users to this extension.
Voicemail Password	<input type="text" value="04130444"/>	Enter the numeric voicemail password here.
Account Code	<input type="text" value="192.168.123.222"/>	Enter the account code here.
Device Provisioning	<div><div>Line</div><div>MAC Address</div><div>Template</div><div><div>▼</div><div><input type="text"/></div><div>▼</div><div>◀</div><div><input type="text"/></div><div>▼</div></div></div>	Select a device and line number to assign to this extension.
Effective Caller ID Name	<input type="text"/>	Enter the internal caller ID name here.
Effective Caller ID Number	<input type="text"/>	Enter the internal caller ID number here.
Outbound Caller ID Name	<input type="text"/>	Enter the external (public) caller ID name here.
Outbound Caller ID Number	<input type="text"/>	Enter the external (public) caller ID number here.
Emergency Caller ID Name	<input type="text"/>	

IP Gateway

IP

# VoIP Phone

[New Firmware](#)[Auto Update](#)[Default Settings](#)[Auto Config](#)[MAC Clone](#)[Tone](#)[Advanced](#)[Status Log](#)[STUN](#)[Service Domain](#)[Port](#)[Codec](#)[Codec ID](#)[DTMF](#)[RPort](#)[Other](#)[Status](#)[WAN](#)[LAN](#)[DDNS](#)[VLAN](#)[DMZ](#)[Virtual Server](#)

## Service Domain Settings

You could set information of service domains in this page.

Realm No.:

Realm 1 ▼

### Realm

Active: ☒ On ☐ Off

Display Name: 2010

User Name: 2010

Register Name: 2010

Register Password: \*\*\*\*\*

Domain Server: 192.168.31.222

Proxy Server: 192.168.31.222

Outbound Proxy: 192.168.31.222

Subscribe for MWI: ☐ On ☒ Off

Status: Not Registered

Submit

Reset

password

## Extension

[← BACK](#)[i CDR](#)[☎ CALL FORWARD](#)[⚙ SETTINGS](#)[📄 COPY](#)[⚡ SAVE](#)**Extension**

Enter the alphanumeric extension. The default configuration allows 2 - 15 digit extensions.

**Number Alias**

If the extension is numeric then number alias is optional.

**Password**

Enter the password here.

**Users**

Assign users to this extension.

**Voicemail Password**

Enter the numeric voicemail password here.

**Account Code**

Enter the account code here.

**Device Provisioning**

Line    MAC Address

Template

Select a device and line number to assign to this extension.

**Effective Caller ID Name**

Enter the internal caller ID name here.

**Effective Caller ID Number**

Enter the internal caller ID number here.

Save Changes



Phone Book

Phone Setting

Network

SIP Settings

NAT Trans

Others

[System Auth.](#)

[Save Change](#)

Update

[Reboot](#)

## Save Changes

You have to save changes to effect them.

---

Save Changes:

---

Revision #4

Created 30 November 2021 03:30:27 by Epower

Updated 6 December 2021 06:00:04 by Epower