

Epower Ntop

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.

1.


http:// Server IP :1111

→ → →

客製化 / 封包分析 / 設定

設定

狀態



啟用

☒

分析網路介面

確認

取消

→ →

admin
admin

Welcome to ntopng


Username (default admin)

admin

Password (default admin)

• • • • •

Login

 [Unable to login?](#)

[User's Guides](#) | [Community](#) | [Support](#) | [FAQ](#) | [Code](#) | [Contact Us](#)

© 1998-21 - ntop.org
ntopng is released under [GPLv3](#).

Change Password

Default admin password must be changed. Please enter a new password below.

Language



English

▼

Change Password

[Logout](#)


© 1998-21 - ntop.org
ntopng is released under [GPLv3](#).

2.

Dashboard→Traffic Dashboard


,

Traffic Dashboard



host , IP


Top Hosts (Send+Receive)



Click on the host for more information.


Ports

Top Client Ports



Click on the port for more information.


Top Client Ports



Click on the port for more information.

Applications

Top Application Protocols




Click on the application for more information.

3.

Alerts→Flow

Alerts



4.

Flows→Active Flow , IP server , IP Server

Active Flows ?

	10 ▾	Hosts ▾	Status ▾	Severity ▾	Direction ▾	Applications ▾	Categories ▾	DSCP ▾	Host Pool ▾	IP Version ▾	Protocol ▾
	Application	Protocol	Client		Server		Duration	Breakdown	Actual Thpt	Total Bytes^	Info
	DNS	UDP	192.168.31.75 :45961		192.168.31.110 :domain		< 1 sec		0 bps	257 Bytes	himg.bdimg.com
	DNS.Google	UDP	192.168.31.75 :40491		192.168.31.110 :domain		< 1 sec		0 bps	260 Bytes	signaler-pa.clien
	DNS.Google	UDP	192.168.31.75 :49094		192.168.31.110 :domain		< 1 sec		0 bps —	260 Bytes —	signaler-pa.clien
	ICMP	ICMP	192.168.31.110		192.168.31.128		03:41		0 bps —	5.76 KB —	Port Unreachabl
	ICMP	ICMP	192.168.31.110		192.168.31.127		02:56		0 bps —	1.15 KB —	Port Unreachabl
	ICMP	ICMP	192.168.31.110		192.168.31.122		00:12 sec		0 bps —	262 Bytes —	Port Unreachabl
	ICMP	ICMP	192.168.31.110		192.168.31.130		03:41		0 bps —	4.86 KB —	Port Unreachabl
	ICMP	ICMP	192.168.31.110		192.168.31.123		00:32 sec		0 bps —	262 Bytes —	Port Unreachabl
	ICMP	ICMP	192.168.31.110		192.168.31.125		00:08 sec		0 bps —	262 Bytes —	Port Unreachabl
	ICMP	ICMP	192.168.31.110		192.168.31.130		00:30 sec		0 bps —	262 Bytes —	Port Unreachabl

5.

MAPS→Geo Maps


Server

,

IP

,

Hosts GeoMap



6.

Interface , ,

name→

state→

MTU→

speed→

Traffic Breakdown→

Traffic Anomalies→

Total Traffic→

Traffic Sent →

Storage Utilization→

