

0. PVE ()

EPower

→ → →

V9.6

admin

儀表板

系統

網路

儲存

狀態

報表

更新

客製化

超融合虛擬化

虛擬機管理

應用封裝

目錄導入

雲端導入

檔案分享

客製化 / 超融合虛擬化 / 虛擬機管理

虛擬機管理

新增 1 筆 | 開機數授權 10 / 0

全選反選執行新增

10 records per page

Search...

選取	狀態	名稱	VDI	VNC	註解	事件	終端	電源	電源	複製	管理	啟用	修改	刪除
----	----	----	-----	-----	----	----	----	----	----	----	----	----	----	----

顯示第 1 至 1 項結果，共 0 項

← 上頁 1 下頁 →

V9.6

admin

儀表板

系統

網路

儲存

狀態

報表

更新

客製化

超融合虛擬化

虛擬機管理

應用封裝

目錄導入

雲端導入

檔案分享

客製化 / 超融合虛擬化 / 虛擬機管理

虛擬機管理

新增 1 筆 | 開機數授權 10 / 0

全選反選執行新增

10 records per page

Search...

選取	狀態	名稱	VDI	VNC	註解	事件	終端	電源	電源	複製	管理	啟用	修改	刪除
<input type="checkbox"/>		PVE-s11	10001	11001										

顯示第 1 至 1 項結果，共 1 項

← 上頁1下頁 →

GO

V9.6

admin

儀表板

系統

網路

儲存

狀態

報表

更新

客製化

超融合虛擬化

虛擬機管理

應用封裝

目錄導入

雲端導入

檔案分享

客製化 / 超融合虛擬化 / 虛擬機管理

虛擬機管理

新增 1 筆 | 開機數授權 10 / 0

全選反選執行新增

10 records per page

Search...

選取	狀態	名稱	VDI	VNC	註解	事件	終端	電源	電源	複製	管理	啟用	修改	刪除
<input type="checkbox"/>		PVE-s11	10001	11001										

顯示第 1 至 1 項結果，共 1 項

← 上頁1下頁 →

- :
1.

2.

3.



1.

3 :

ceph
zfs

硬碟名稱：

disk-1

硬碟容量：

100

GB

映像格式：

qcow2

模擬裝置：

ide

快取模式：

writeback

新增

取消

V9.6

1 admin

儀表板

系統

網路

儲存

狀態

報表

更新

客製化

超融合虛擬化

虛擬機管理

應用封裝

目錄導入

雲端導入

檔案分享

客製化 / 超融合虛擬化 / 虛擬機管理

虛擬機管理

新增 6 筆授權數目: 1000 筆

磁碟機

光碟機

網路卡

軟碟機

USB

PCI

COM

新增設備

TOP

10 records per page

Search...

檔案	容量	映像格式	模擬裝置	快取模式	註解	開機硬碟	映像轉檔	啟用	修改	刪除
disk-1	100G	qcow2	ide	writeback						
disk-2	100G	qcow2	ide	writeback						
disk-3	100G	qcow2	ide	writeback						

顯示第 1 至 3 項結果，共 3 項

← 上頁

1

下頁 →

2.

✕

檔案：

/storage/

瀏覽

實體光碟機：

☐



註解：

註解

新增

取消

/storage/home
EPower-PVE-2.iso



V9.6

admin

儀表板

系統

網路

儲存

狀態

報表

更新

客製化

超融合虛擬化

虛擬機管理

應用封裝

目錄導入

雲端導入

檔案分享

客製化 / 超融合虛擬化 / 虛擬機管理

虛擬機管理

新增 2 筆授權數目: 1000 筆

磁碟機光碟機網路卡軟碟機USBPCI COM新增設備TOP

10 records per page

Search...

檔案	註解	啟用	修改	刪除
/storage/home/EPower-PVE-2.iso		✓		

顯示第 1 至 1 項結果，共 1 項

← 上頁1下頁 →

3.

網路連接：

br0

模擬裝置：

virtio (1000Mb/s)

註解：

註解

新增

取消

- 🏠

儀表板

🔑

系統

>

🔌

網路

>

💾

儲存

>

📊

狀態

>

📈

報表

>

🔄

更新

>

☁️

客製化

▼

超融合虛擬化

▼

🖥️

虛擬機管理

📦

應用封裝

📂

目錄導入

☁️

雲端導入

📁

檔案分享

>

客製化 / 超融合虛擬化 / 虛擬機管理

虛擬機管理

新增 4 筆授權數目: 1000 筆

磁碟機 光碟機 網路卡 軟碟機 USB PCI COM 新增設備 TOP

10 records per page

Search...

模擬裝置	網路連接	MAC	註解	啟用	修改	刪除
virtio	br0	00:8D:46:AF:41:56		✓		
virtio	br0	00:CE:03:DA:B8:5C		✓		

顯示第 1 至 2 項結果，共 2 項

← 上頁

1

下頁 →

- 儀表板

系統

網路

儲存

狀態

報表

更新

客製化

超融合虛擬化

虛擬機管理

應用封裝

目錄導入

雲端導入

檔案分享

客製化 / 超融合虛擬化 / 虛擬機管理

虛擬機管理

新增 1 筆 | 開機數授權 10 / 0

全選反選執行新增

10 records per page

Search...

選取	狀態	名稱	VDI	VNC	註解	事件	終端	電源	電源	複製	管理	啟用	修改	刪除
<input type="checkbox"/>		PVE-s11	10001	11001										

顯示第 1 至 1 項結果，共 1 項

← 上頁1下頁 →

```
=====
EPower AIOT SysMenu V11.1
=====

OS Install Disk: No

Hostname: eppve

DHCP
eth0 Address:
eth0 Netmask:
eth0 Gateway:

EPS Admin: https://:1111
PVE Admin: https://:8006
PBS Admin: https://:8007

=====

2) IP Configuration
3) Changing Hostname
4) Format Disk
6) Changing root Password
7) Reboot
8) Shutdown
9) Logout

i) Install To Disk
p) Ping

Press <Enter> to refresh

You Choice is:
```

4) Format Disk ()

vda;150G;

Select Format Disk [ext: sda or sdb] : vda

```
=====
EPower AIOT SysMenu V11.1
=====

OS Install Disk: No

Hostname: eppve

DHCP
eth0 Address:
eth0 Netmask:
eth0 Gateway:

EPS Admin: https://:1111
PVE Admin: https://:8006
PBS Admin: https://:8007

=====

2) IP Configuration
3) Changing Hostname
4) Format Disk
6) Changing root Password
7) Reboot
8) Shutdown
9) Logout

i) Install To Disk
p) Ping

Press <Enter> to refresh

You Choice is:
4

vda;105G;
vdb;105G;
vdc;105G;
Select Format Disk [ext: sda or sdb]: vda
```

Disk

i) Install To Disk

vda

=====

EPower AIOT SysMenu V11.1

=====

OS Install Disk: No

Hostname: eppve

DHCP

eth0 Address:

eth0 Netmask:

eth0 Gateway:

EPS Admin: https://:1111

PVE Admin: https://:8006

PBS Admin: https://:8007

=====

- 2) IP Configuration
- 3) Changing Hostname
- 4) Format Disk
- 6) Changing root Password
- 7) Reboot
- 8) Shutdown
- 9) Logout

i) Install To Disk

p) Ping

Press <Enter> to refresh

You Choice is:

i

vda;105G;

vdb;105G;

vdc;105G;

Select install disk [ext: sda or sdb]: vda_

```
=====
EPower AIOT SysMenu V11.1
=====

OS Install Disk: No

Hostname: eppve

DHCP
eth0 Address:
eth0 Netmask:
eth0 Gateway:

EPS Admin: https://:1111
PVE Admin: https://:8006
PBS Admin: https://:8007

=====

2) IP Configuration
3) Changing Hostname
4) Format Disk
6) Changing root Password
7) Reboot
8) Shutdown
9) Logout

i) Install To Disk
p) Ping

Press <Enter> to refresh

You Choice is:

i

vda;105G;
vdb;105G;
vdc;105G;

Select install disk [ext: sda or sdb]: vda
Copy Wait...
-
```

EPower iso

V9.6

admin

儀表板

系統

網路

儲存

狀態

報表

更新

客製化

超融合虛擬化

虛擬機管理

應用封裝

目錄導入

雲端導入

檔案分享

客製化 / 超融合虛擬化 / 虛擬機管理

虛擬機管理

新增 6 筆授權數目: 1000 筆

磁碟機光碟機網路卡軟碟機USBPCI COM新增設備TOP

10 records per page

Search...

檔案	註解	啟用	修改	刪除
/storage/home/EPower-PVE-2.iso		✓		

顯示第 1 至 1 項結果，共 1 項

← 上頁1下頁 →

OS Install Disk : YES ()

```
=====
EPower AIOT SysMenu V11.1
=====
OS Install Disk: Yes
Hostname: eppve

DHCP
eth0 Address:
eth0 Netmask:
eth0 Gateway:

EPS Admin: https://:1111
PVE Admin: https://:8006
PBS Admin: https://:8007

=====
2) IP Configuration
3) Changing Hostname
4) Format Disk
6) Changing root Password
7) Reboot
8) Shutdown
9) Logout

i) Install To Disk
p) Ping

Press <Enter> to refresh

You Choice is:
```

2)IP Configuration (ip)

192.168.31.100 255.255.255.0 192.168.31.254


```
=====
      EPower AIOT SysMenu V11.1
=====

OS Install Disk: Yes

Hostname: eppve

DHCP
eth0 Address:
eth0 Netmask:
eth0 Gateway:

EPS Admin: https://:1111
PVE Admin: https://:8006
PBS Admin: https://:8007

=====

2) IP Configuration
3) Changing Hostname
4) Format Disk
6) Changing root Password
7) Reboot
8) Shutdown
9) Logout

i) Install To Disk
p) Ping

Press <Enter> to refresh

You Choice is:

2
ip netmask gateway
192.168.0.100 255.255.255.0 192.168.0.254

192.168.0.11 255.255.255.0 192.168.0.254
```

Enter

```
=====
EPower AIOT SysMenu V11.1
=====

OS Install Disk: Yes

Hostname: eppve

DHCP
eth0 Address:
eth0 Netmask:
eth0 Gateway:

EPS Admin: https://:1111
PVE Admin: https://:8006
PBS Admin: https://:8007

=====

2) IP Configuration
3) Changing Hostname
4) Format Disk
6) Changing root Password
7) Reboot
8) Shutdown
9) Logout

i) Install To Disk
p) Ping

Press <Enter> to refresh

You Choice is:

2
ip netmask gateway
192.168.0.100 255.255.255.0 192.168.0.254

192.168.0.11 255.255.255.0 192.168.0.254

Press <Enter> to return main menu

... OK!
```

ip

```
=====
EPower AIOT SysMenu V11.1
=====

OS Install Disk: Yes
Hostname: eppve
Static
eth0 Address: 192.168.0.11
eth0 Netmask: 255.255.255.0
eth0 Gateway: 192.168.0.254
EPS Admin: https://192.168.0.11:1111
PVE Admin: https://192.168.0.11:8006
PBS Admin: https://192.168.0.11:8007
=====

2) IP Configuration
3) Changing Hostname
4) Format Disk
6) Changing root Password
7) Reboot
8) Shutdown
9) Logout

i) Install To Disk
p) Ping

Press <Enter> to refresh

You Choice is:
```

7) Reboot ()

```

Stopping Kernel Samepage Merging (KSM) Tuning Daemon...
[ OK ] Stopped Initialize hardware monitoring sensors.
Stopping LXC Container Monitoring Daemon...
Stopping LXC Container Initialization and Autoboot Code...
[ OK ] Stopped Postfix Mail Transport Agent.
Stopping Postfix Mail Transport Agent (instance -)...
Stopping Proxmox VE LXC Syscall Daemon...
Stopping PVE Qemu Event Daemon...
Stopping Map RBD devices...
Stopping /etc/rc.local Compatibility...
Stopping LSB: start or stop rrdcached...
Stopping PVE SPICE Proxy Server...
[ OK ] Stopped Resets System Activity Logs.
Stopping User Login Management...
Stopping Permit User Sessions...
[ OK ] Stopped ZFS file system shares.
Stopping ZFS Event Daemon (zed)...
[ OK ] Stopped Proxmox VE LXC Syscall Daemon.
[ OK ] Stopped ZFS Event Daemon (zed).
[ OK ] Stopped PVE Qemu Event Daemon.
[ OK ] Stopped Kernel Samepage Merging (KSM) Tuning Daemon.
[ OK ] Stopped LXC Container Monitoring Daemon.
[ OK ] Stopped Run anacron jobs.
[ OK ] Stopped Regular background program processing daemon.
[ OK ] Stopped LXC Container Initialization and Autoboot Code.
[ OK ] Stopped Map RBD devices.
[ OK ] Stopped Permit User Sessions.
[ OK ] Stopped /etc/rc.local Compatibility.
[ OK ] Stopped User Login Management.
[ OK ] Stopped Postfix Mail Transport Agent (instance -).
[ OK ] Removed slice system-postfix.slice.
[ OK ] Stopped Trigger anacron every hour.
Stopping Kernel Samepage Merging...
Stopping LXC network bridge setup...
Stopping System Logging Service...
[ OK ] Stopped LSB: start or stop rrdcached.
[ OK ] Stopped System Logging Service.
[ OK ] Stopped Kernel Samepage Merging.
[ OK ] Stopped LXC network bridge setup.
[ OK ] Stopped target System Time Synchronized.
[ OK ] Stopped target System Time Set.
Stopping chrony, an NTP client/server...
[ OK ] Stopped Proxmox VE firewall logger.
[ OK ] Stopped chrony, an NTP client/server.
[ OK ] Stopped PVE SPICE Proxy Server.
Stopping PVE API Proxy Server...
[ ** ] A stop job is running for PVE API Proxy Server (4s / 1min 31s)

```

Revision #2

Created 12 January 2023 01:08:29 by Epower

Updated 12 January 2023 02:50:50 by Epower