

3.

PVE

(100) → →

伺服器檢視

資料中心

pve

100 (Linux)

101 (win10)

102 (t1create)

103 (VM 103)

104 (win10)

105 (Linux-2)

106 (OpenMediaVault)

107 (open-v6)

Backup (pve)

local (pve)

local-lvm (pve)

test (pve)

test2 (pve)

節點 pve 上的虛擬機 100 (Linux)

增加複製新增: 安全群組移除編輯

主控台

硬體

Cloud-Init

選項

作業記錄

監視器

備份

複寫

快照

防火牆

選項

別名

IP 集合

記錄

權限

啓動

關機

主控台

更多

說明

啟用	類別	動作	巨集	介面	協定	來源位址	來源連接埠	目標位址
----	----	----	----	----	----	------	-------	------

作業叢集記錄

開始時間 ↓	結束時間	節點	帳號	說明	狀態
十二月 15 09:05:20		pve	root@pam	命令列	
十二月 16 09:45:43	十二月 16 09:45:44	pve	root@pam	命令列	OK
十二月 16 09:36:00	十二月 16 09:36:39	pve	root@pam	VM/CT 100 - 主控台	OK
十二月 16 09:32:51	十二月 16 09:32:52	pve	root@pam	VM/CT 100 - 主控台	OK
十二月 16 09:31:33	十二月 16 09:32:44	pve	root@pam	VM/CT 100 - 主控台	OK

Epower

: in ()
:ACCEPT
: VM ,
: 192.168.31.36
: 1111

:

增加: 規則

方向: in

動作: ACCEPT

介面:

來源位址:

目標位址: 192.168.31.36

備註:

記錄層級: nolog

啓用: ☒

巨集:

協定:

來源連接埠:

目標連接埠: 1111

進階 ☒

增加

→

伺服器檢視

資料中心

pve

100 (Linux)

101 (win10)

102 (t1create)

103 (VM 103)

104 (win10)

105 (Linux-2)

106 (OpenMediaVault)

107 (open-v6)

Backup (pve)

local (pve)

local-lvm (pve)

test (pve)

test2 (pve)

節點 pve 上的虛擬機 100 (Linux)

概觀

主控台

硬體

Cloud-Init

選項

作業記錄

監視器

備份

複製

快照

防火牆

選項

別名

IP 集合

記錄

權限

編輯

防火牆	是
DHCP	是
NDP	是
路由廣播	否
MAC 篩選	是
IP 篩選器	否
log_level_in	nolog
log_level_out	nolog
輸入原則	DROP
輸出原則	ACCEPT

作業

叢集記錄

開始時間 ↓	結束時間	節點	帳號	說明	狀態
十二月 15 09:05:20		pve	root@pam	命令列	
十二月 16 09:45:43	十二月 16 09:45:44	pve	root@pam	命令列	OK
十二月 16 09:36:00	十二月 16 09:36:39	pve	root@pam	VM/CT 100 - 主控台	OK
十二月 16 09:32:51	十二月 16 09:32:52	pve	root@pam	VM/CT 100 - 主控台	OK
十二月 16 09:31:33	十二月 16 09:32:44	pve	root@pam	VM/CT 100 - 主控台	OK

:


編輯: 防火牆

防火牆: ☒

完成

Reset

```
lubuntu@s77:~$ telnet 192.168.31.36 222
Trying 192.168.31.36...
Connected to 192.168.31.36.
Escape character is '^]'.
SSH-2.0-OpenSSH_8.2p1 Ubuntu-4ubuntu0.5
```



The screenshot shows a terminal window with a title bar that includes a terminal icon, the text 'lubuntu@s77: ~', and standard window controls (minimize, maximize, close). Below the title bar is a menu bar with the following items: '檔案(F)', '動作(A)', '編輯(E)', '檢視(V)', and '幫助(H)'. A tab bar below the menu bar shows a single tab labeled 'lubuntu@s77: ~' with a close button. The terminal content is as follows:

```
lubuntu@s77:~$ telnet 192.168.31.36 222
Trying 192.168.31.36...
```

Revision #7

Created 16 December 2022 01:48:34 by Epower

Updated 12 January 2023 02:49:32 by Epower