

6. Base

Base Public

1. Base

Virtual Machines

↺

New Machine

Requests 1

Machine Name	Base	Public	Status	Actions	Node
VDI-WIN10S	<input type="checkbox"/>		Down	<div><div>▶</div><div>⏸</div><div>🔌</div><div>🖥</div></div>	localhost

- Base→Prepare Base

Virtual Machine VDI-WIN10S Settings

Actions

Description

Rename

Options

Drivers

Hardware

Screenshot

Graphics

Base

Copy

Ports

Access

Remove

Prepare Base

2

Prepare this machine as a base to create clones from it.

- YES

Virtual Machine VDI-WIN10S Settings

Actions

Description

Rename

Options

Drivers

Hardware

Screenshot

Graphics

Base

Copy

Ports

Access

Remove

Are you sure you want to prepare the base of VDI-WIN10S?

No

Yes

- Base

Virtual Machine VDI-WIN10S Settings

prepare_base VDI-

- Actions
- Description
- Rename
- Options
- Drivers
- Hardware
- Screenshot
- Graphics
- Base
- Copy
- Ports
- Access
- Remove

Request prepare base VDI-WIN10S working.

Virtual Machine VDI-WIN10S Settings

prepare_base VDI-

- Actions
- Description
- Rename
- Options
- Drivers
- Hardware
- Screenshot
- Graphics
- Base
- Copy
- Ports
- Access
- Remove
- Pool


Remove Base

Remove the base prepared from this machine

Request prepare base VDI-WIN10S done.

2. Base Public

- Public→YES



- Base Public

Virtual Machines

[New Machine](#)[Requests 1](#)

Machine Name	Base	Public	Status	Actions	Node
VDI-WIN10S	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Down	This Machine is a base	localhost

Revision #8

Created 17 November 2021 07:19:26 by Epower

Updated 17 November 2021 07:53:37 by Epower